

Message

From: Nerden, Joseph (DEP) [Joseph.Nerden@MassMail.State.MA.US]
Sent: 11/22/2016 1:22:00 PM
To: Vakalopoulos, Catherine (DEP) [catherine.vakalopoulos@state.ma.us]; Kipka, Undine [kipka.undine@epa.gov]
Subject: RE: CRMF Permit No. MA0003590 - Request to Change Discharge Monitoring

Hi Cathy & Undine,

I'd like to participate given that I've been working **Ex. 5 Deliberative Process (DP)** find it's good to participate or at least be present during such discussions in order to retain the details moving forward.

Thanks,
Joe

From: Vakalopoulos, Catherine (DEP)
Sent: Monday, November 21, 2016 5:29 PM
To: Kipka, Undine
Cc: Nerden, Joseph (DEP)
Subject: RE: CRMF Permit No. MA0003590 - Request to Change Discharge Monitoring

That's fine. Joe – if you're too busy, you can submit any comments and I'll just participate in the conference call. I'll see if Susy wants to join in on the call.

From: Kipka, Undine [mailto:kipka.undine@epa.gov]
Sent: Monday, November 21, 2016 5:23 PM
To: Vakalopoulos, Catherine (DEP)
Cc: Nerden, Joseph (DEP)
Subject: RE: CRMF Permit No. MA0003590 - Request to Change Discharge Monitoring

Hi Cathy,

Thanks for the prompt: I would say submitting your comments to me AND doing a conference call with Damien (who **Ex. 5 Deliberative Process (DP)**) and me afterwards to discuss the comments makes sense. If you agree, I'd be happy to set up a meeting via an Outlook invite!

Undine Kipka
(617) 918 1335

From: Vakalopoulos, Catherine (DEP) [mailto:Catherine.Vakalopoulos@MassMail.State.MA.US]
Sent: Monday, November 21, 2016 4:19 PM
To: Kipka, Undine <kipka.undine@epa.gov>
Cc: Nerden, Joseph (DEP) <joseph.nerden@state.ma.us>
Subject: FW: CRMF Permit No. MA0003590 - Request to Change Discharge Monitoring

Hi Undine,

I haven't finished reading what they just submitted, but what is the best way for us to pow-wow about **Ex. 5 Deliberative Process (DP)**

Ex. 5 Deliberative Process (DP) p? Submit comments to you and/or have a conference

call?
Cathy

From: Marian Rambelle [mailto:mrambelle@cdwconsultants.com]
Sent: Monday, November 21, 2016 3:38 PM

To: Houlihan.damien@Epa.gov

Cc: Kipka, Undine; Vakalopoulos, Catherine (DEP); Nerden, Joseph (DEP); Kearney, Janis O. (MBTA); COUTU Clary; Bill Betters

Subject: CRMF Permit No. MA0003590 - Request to Change Discharge Monitoring

Dear Mr. Houlihan,

On behalf of our client, Keolis Commuter Services, LLC (Keolis), and in consultation with the Massachusetts Bay Transportation Authority (MBTA), CDW Consultants, Inc. (CDW) is submitting the attached request to change the discharge monitoring location for the above-referenced NPDES Permit (Permit), associated with the MBTA's Commuter Rail Maintenance Facility (CRMF). This change is requested as a result of drainage system improvements recently completed by the MBTA as part of the Green Line Extension (GLX) project. These recommended changes have been previously discussed and inspected in recent meetings held with EPA, the Massachusetts Department of Environmental Protection (MassDEP), the MBTA, and Keolis. The attached letter and drawings describe the current monitoring location and the proposed changes.

We respectfully request that EPA approve the proposed changes described above and discussed during our last meeting held on October 12, 2016 in order to begin the monitoring changes expeditiously. If you have any questions concerning these proposed monitoring changes, please do not hesitate to contact Mr. William Betters of CDW at (508) 875-2657 x27. We look forward to your reply regarding this request.

Sincerely,
Marian Rambelle

Marian Rambelle
Senior Environmental Engineer

CDW CONSULTANTS, INC.
40 Speen Street, Suite 301
Framingham, MA 01701
508-875-2657 x28
www.cdwconsultants.com

The information contained in this transmission is privileged, confidential and intended only for the use of the individual or entity named above. If you are not the intended recipient, you are hereby notified that any disclosure, copying, distribution or the taking of any action in reliance on the contents of this e-mail transmission is strictly prohibited. If you received this communication in error, please notify CDW Consultants, Inc. immediately by e-mail. Thank you.